




Handle of Design

Ürün Kataloğu / Product Catalogue

Handle of Design

www.wboss.com.tr



BUYUKOGLU Ins. Malz. San. ve Dis Tic. Ltd. Sti. which has been providing service with marketing of constructions materials in the field of construction and hardware since 2007. Firstly established BAUPEN which is provides constructions materials and Accesories for uPVC. Then BUYUKOGLU established WBOSS in a order to add newness in the markets. Till today, every year BUYUKOGLU renew itself and improved products, workpower and capacity. In his 9th year, BUYUKOGLU production plant is a modern investment on an area of 8000 sqm closed area and 2000 sqm warehouse area in ISTANBUL-TURKEY and continue to produce with over 90 young and dynamic employees without compensation from product quality. The production of handles which was 12 models at the begining has reached to 80 different types and models. The handles conforming to the international standarts has been offered for sale in the internal and external markets on high quality basis.

Every stage of production process is experiencing a strict Quality Control process from the raw material form of the product up to the level of being finished product within a modern manufacturing enterprise in its factory.


As BUYUKOGLU family; research, development, quality, high standard, customer satisfaction, responsibility, discipline, confidence, differentiation and continuity are the eternal light of us which we always follow.




Alüminyum Yaylı Kapı Kolu Silindirli 25/85 mm

Aluminium Door Handle with Spring, Cylindrical 25/85 mm


Poignée de porte cylindrique a ressort, en aluminium 25/85mm




9016




8003




8017





8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
030030		✓	25 / 85 mm	215	195	115 mm	8	M5*80	2	30
030030/60		✓	25 / 85 mm	215	195	105 mm	8	M5*70	2	30
030030/80		✓	25 / 85 mm	215	195	135 mm	8	M5*90	2	30

Malta

Alüminyum Yaylı Kapı Kolu WC 25/90 mm

Aluminium Door Handle with Spring, WC 25/90 mm


Poignée de porte avec ressort pour WC, en aluminium 25/90 mm.




9016




8003




8017








8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
032570		✓	25 / 90 mm	215	195	115 mm/80 mm	8	M5*80	2	30
032570/60		✓	25 / 90 mm	215	195	105 mm/80 mm	8	M5*70	2	30
032570/80		✓	25 / 90 mm	215	195	135 mm/105 mm	8	M5*90	2	30

Alüminyum Yaylı Kapı Kolu Barelsiz 25/85 mm

Aluminium Door Handle with Spring, Balcony 25/85 mm


Poignée de porte avec ressort pour balcon, en aluminium 25/85 mm




9016




8003




8017








8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
032580		✓	25 / 85 mm	215	195	115 mm/80 mm	8	M5*80	2	30
032580/60		✓	25 / 85 mm	215	195	105 mm/80 mm	8	M5*70	2	30
032580/80		✓	25 / 85 mm	215	195	135 mm/100 mm	8	M5*90	2	30

Malta

Alüminyum Yaylı Kapı Kolu Silindirli 28/85 mm

Aluminium Door Handle with Spring, Cylindrical 28/85 mm

Poignée de porte cylindrique avec ressort, en aluminium 28/85 mm



9016




8003



8017











8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
032850		✓	28 / 85 mm	215	195	115 mm	8	M5*80	2	30
032850/60		✓	28 / 85 mm	215	195	105 mm	8	M5*70	2	30
032850/80		✓	28 / 85 mm	215	195	135 mm	8	M5*90	2	30
032892		✓	28 / 92 mm	215	195	115 mm	8	M5*80	2	30
032892/60		✓	28 / 92 mm	215	195	105 mm	8	M5*70	2	30
032892/80		✓	28 / 92 mm	215	195	135 mm	8	M5*90	2	30

Alüminyum Yaylı Kapı Kolu WC 28/90 mm

Aluminium Door Handle with Spring, WC 28/90 mm


Poignée de porte avec ressort pour WC, en aluminium 28/90 mm




9016




8003




8017








8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
032870		✓	28 / 90 mm	215	195	115 mm/80 mm	8	M5*80	2	30
032870/60		✓	28 / 90 mm	215	195	105 mm/ 80 mm	8	M5*70	2	30
032870/80		✓	28 / 90 mm	215	195	135 mm/ 105 mm	8	M5*90	2	30

Malta


Alüminyum Yaylı Kapı Kolu Barelsiz 28/85 mm

Aluminium Door Handle with Spring, Balcony 28/85 mm

Poignée de porte avec ressort pour balcon, en aluminium 28/85 mm



9016




8003



8017








8019



8022





Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
032880		✓	28 / 85 mm	215	195	115 mm/80 mm	8	M5*80	2	30
032880/60		✓	28 / 85 mm	215	195	105 mm/80 mm	8	M5*70	2	30
032880/80		✓	28 / 85 mm	215	195	135 mm/105 mm	8	M5*90	2	30

Alüminyum Yaylı Kapı Kolu Silindirik 35/85 mm

Aluminium Door Handle with Spring, Cylindrical 35/85 mm

Poignée de porte cylindrique avec ressort, en aluminium 35/85 mm




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
030050		✓	35 / 85 mm	215	195	115 mm	8	M5*80	2	30
030050/60		✓	35 / 85 mm	215	195	105 mm	8	M5*70	2	30
030050/80		✓	35 / 85 mm	215	195	135 mm	8	M5*90	2	30
030092		✓	35 / 92 mm	215	195	115 mm	8	M5*80	2	30
030092/60		✓	35 / 92 mm	215	195	105 mm	8	M5*70	2	30
030092/80		✓	35 / 92 mm	215	195	135 mm	8	M5*90	2	30

Malta

Alüminyum Yaylı Kapı Kolu WC 35/90 mm

Aluminium Door Handle with Spring, WC 35/90 mm


Poignée de porte avec ressort pour WC, en aluminium 35/90 mm




9016




8003




8017








8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
030070		✓	35 / 90 mm	215	195	115 mm/80 mm	8	M5*80	2	30
030070/60		✓	35 / 90 mm	215	195	105 mm/80 mm	8	M5*70	2	30
030070/80		✓	35 / 90 mm	215	195	135 mm/105 mm	8	M5*90	2	30

Alüminyum Yaylı Kapı Kolu Barelsiz 35/85 mm

Aluminium Door Handle with Spring, Balcony 35/85 mm


Poignée de porte avec ressort pour balcon, en Aluminium 35/85 mm




9016




8003




8017








8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
030080		✓	35 / 85 mm	215	195	115 mm/80 mm	8	M5*80	2	30
030080/60		✓	35 / 85 mm	215	195	105 mm/80 mm	8	M5*70	2	30
030080/80		✓	35 / 85 mm	215	195	135 mm/105 mm	8	M5*90	2	30

Revma


Alüminyum Yaylı Kapı Kolu Silindirli 25/85 mm

Aluminium Door Handle with Spring, Cylindrical 25/85 mm

Poignée de porte cylindrique avec ressort, en aluminium 25/85mm



9016




8003



8017








8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
050030		✓	25 / 85 mm	215	195	115 mm	8	M5*80	2	30
050030/60		✓	25 / 85 mm	215	195	105 mm	8	M5*70	2	30
050030/80		✓	25 / 85 mm	215	195	135 mm	8	M5*90	2	30

Alüminyum Yaylı Kapı Kolu WC 25/90 mm

Aluminium Door Handle with Spring, WC 25/90 mm


Poignée de porte avec ressort pour WC, en aluminium 25/90 mm




9016




8003




8017








8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
052570		✓	25 / 90 mm	215	195	115 mm/80 mm	8	M5*80	2	30
052570/60		✓	25 / 90 mm	215	195	105 mm/ 80 mm	8	M5*70	2	30
052570/80		✓	25 / 90 mm	215	195	135 mm/ 105 mm	8	M5*90	2	30

Revma


Alüminyum Yaylı Kapı Kolu Barelsiz 25/85 mm

Aluminium Door Handle with Spring, Balcony 25/85 mm

Poignée de porte avec ressort pour balcon, en aluminium 25/85 mm



9016




8003



8017








8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
052580		✓	25 / 85 mm	215	195	115 mm/80 mm	8	M5*80	2	30
052580/60		✓	25 / 85 mm	215	195	105 mm/ 80 mm	8	M5*70	2	30
052580/80		✓	25 / 85 mm	215	195	135 mm/ 105 mm	8	M5*90	2	30

Alüminyum Yaylı Kapı Kolu 28/85 mm

Aluminium Door Handle with Spring, Cylindrical 28/85 mm


Poignée de porte cylindrique avec ressort , en aluminium 28/85 mm




9016




8003




8017











8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
052850		✓	28 / 85 mm	215	195	115 mm	8	M5*80	2	30
052850/60		✓	28 / 85 mm	215	195	105 mm	8	M5*70	2	30
052850/80		✓	28 / 85 mm	215	195	135 mm	8	M5*90	2	30
052892		✓	28 / 92 mm	215	195	115 mm	8	M5*80	2	30
052892/60		✓	28 / 92 mm	215	195	105 mm	8	M5*70	2	30
052892/80		✓	28 / 92 mm	215	195	135 mm	8	M5*90	2	30

Revma


Alüminyum Kapı Kolu WC 28/90 mm

Aluminium Door Handle with Spring, WC 28/90 mm

Poignée de porte avec ressort pour WC, en aluminium 28/90 mm



9016




8003




8017








8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
052870		✓	28 / 90 mm	215	195	115 mm/80 mm	8	M5*80	2	30
052870/60		✓	28 / 90 mm	215	195	105 mm/ 80 mm	8	M5*70	2	30
052870/80		✓	28 / 90 mm	215	195	135 mm/ 105 mm	8	M5*90	2	30

Alüminyum Yaylı Kapı Kolu Barelsiz 28/85 mm

Aluminium Door Handle with Spring, Balcony 28/85 mm

Poignée de porte avec ressort pour balcon, en aluminium 28/85 mm



9016




8003



8017








8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
052880		✓	28 / 85 mm	215	195	115 mm/80 mm	8	M5*80	2	30
052880/60		✓	28 / 85 mm	215	195	105 mm/ 80 mm	8	M5*70	2	30
052880/80		✓	28 / 85 mm	215	195	135 mm/ 105 mm	8	M5*90	2	30

Revma


Alüminyum Yaylı Kapı Kolu Silindirli 35/85 mm

Aluminium Door Handle with Spring, Cylindrical 35/85 mm

Poignée de porte cylindrique avec ressort, en aluminium 35/85 mm



9016




8003




8017











8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
050050		✓	35 / 85 mm	215	195	115 mm	8	M5*80	2	30
050050/60		✓	35 / 85 mm	215	195	105 mm	8	M5*70	2	30
050050/80		✓	35 / 85 mm	215	195	135 mm	8	M5*90	2	30
050092		✓	35 / 92 mm	215	195	115 mm	8	M5*80	2	30
050092/60		✓	35 / 92 mm	215	195	105 mm	8	M5*70	2	30
050092/80		✓	35 / 92 mm	215	195	135 mm	8	M5*90	2	30

Alüminyum Yaylı Kapı Kolu WC 35/90 mm

Aluminium Door Handle with Spring, WC 35/90 mm

Poignée de porte avec ressort pour WC, en aluminium 35/90 mm



9016




8003



8017








8019



8022




Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
050070		✓	35 / 90 mm	215	195	115 mm/80 mm	8	M5*80	2	30
050070/60		✓	35 / 90 mm	215	195	105 mm/ 80 mm	8	M5*70	2	30
050070/80		✓	35 / 90 mm	215	195	135 mm/ 105 mm	8	M5*90	2	30

Revma

Alüminyum Yaylı Kapı Kolu Barelsiz 35/85 mm

Aluminium Door Handle with Spring, Balcony 35/85 mm

Poignée de porte avec ressort pour balcon, en Aluminium 35/85 mm



9016




8003




8017








8019



8022





Kod Code Code	Kilit Şekli Keyhole Forme de Serrure	Yay Spring Le Ressort	Merkez Mesafesi Axis Distance Distance de L'axe	A	B	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis		
050080		✓	35 / 85 mm	215	195	115 mm/80 mm	8	M5*80	2	30
050080/60		✓	35 / 85 mm	215	195	105 mm/ 80 mm	8	M5*70	2	30
050080/80		✓	35 / 85 mm	215	195	135 mm/ 105 mm	8	M5*90	2	30



Malta

Alüminyum Pencere Kolu

Aluminium Window Handle

Poignée de fenêtre en aluminium



Kod Code Code	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis	Kilit Pozisyonu Locking Position Crantage		
040010	35 mm, 45 mm	7	M5*45	45, 90	2	100

9016



8003



8017



8019



8022







Revma

Alüminyum Pencere Kolu

Aluminium Window Handle

Poignée de fenêtre en aluminium



Kod Code Code	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis	Kilit Pozisyonu Locking Position Crantage		
050010	35 mm, 45 mm	7	M5*45	45, 90	2	80

9016



8003



8017



8019



8022





Plastik Pencere Kolu

Plastic Window Handle

Poignée de fenêtre en plastique



Kod Code Code	Demir Uzunluk Iron Bar Barre de Fer	Kare Square Le carré	Vida Boyu Screws Lenght (mm) La Longueur du Vis	Kilit Pozisyonu Locking Position Crantage		
PPK-01	30 mm	7	M5*45	45, 90	2	200

9016



8003



8017



8019



8022





Menteşe

Zamak Pencere Mentese

Zinc Window Hinge

Paumelle de fenetre en zinc



Kod Code Code	Uzunluk (mm) Lenght Hauteur	
HN-75-01	75	200



9016	
8003	
8017	
8019	
8022	


Menteşe

Zamak Kapi Mentese

Zinc Door Hinge

Paumelle de porte en zinc



Kod Code Code	Uzunluk (mm) Lenght Hauteur	
HN-95-01	95	150
HN-100-01	100	150

9016



8003



8017



8019



8022





Menteşe



3D Zamak Ayarlı Kapı Mentese

3D Zinc Adjustable Door Hinge

Charnière de porte Ajustable 3D en zinc



Kod Code Code	
010027	24


9016	
8003	
8017	
8019	
8022	


Menteşe




3D Alüminyum Ayarlı Kapı Menteşe

3D Aluminium Adjustable Door Hinge

Charnière de porte Ajustable 3D en Aluminium



Kod Code Code	
010017	24


9016	
8003	
8017	
8019	
8022	


Kapı Kilidi

PVC Kapı Kilidi Silindirli 35/85 mm

PVC Door Lock Cylindrical 35/85 mm

Serrure de porte cylindrique en PVC 35/85mm




Kod Code Code	A	B	C	
PVC 35-85	35	85	16	40


Kapı Kilidi

PVC Kapı Kilidi WC 35/90 mm

PVC Door Lock WC 35/90 mm

Serrure de porte WC en PVC 35/90 mm




Kod Code Code	A	B	C	
WC 35	35	90	16	40


Kapı Kilidi

Alüminyum Kapı Kilidi Silindirli 35/85 mm

Aluminium Door Lock Cylindrical 35/85 mm

Serrure de Porte Cylindrique en Aluminium 35/85 mm




Kod Code Code	A	B	C	
23-35-85	35	90	23	30


Kapı Kilidi

Alüminyum Kapı Kilidi WC 35/90 mm

Aluminium Door Lock WC 35/90 mm

Serrure de porte WC en Aluminium 35/90 mm




Kod Code Code	A	B	C	
WC 23	35	90	23	30





Barel

Zamak Barel

Cylindre en Zinc

Cylindre en Zinc




Kod Code Code	L	A	B	C			 Pirinç Brass	
BZ 001	68	26	32	10	1	3	✓	120
BZ 002	83	35	38	10	1	3	✓	120
BZ 003	90	35	45	10	1	3	✓	120
BZ 004	100	40	50	10	1	3	✓	120





Topuzlu Barel

Zamak Barel Topuzlu

Zinc Cylinder with Knob

Cylindre à bouton en Zinc





Kod Code Code	L	A	B	C	D	E			 Pirinç Brass	
BZ 012	68	26	32	10	12	44	1	3	✓	60
BZ 013	83	35	38	10	12	44	1	3	✓	60
BZ 014	90	35	45	10	12	44	1	3	✓	60
BZ 015	100	40	50	10	12	44	1	3	✓	60

Kilit Karşılıkları

Kilit Karşılığı - Uzun


Adjustable Door Lock Striker - Long
Gâche de fermeture en acier - Longue


Kod Code Code	A	B	C	D	E	
KK 001	176	159	80	24	10	300



Kilit Karşılığı - Kısa

Adjustable Door Lock Striker - Short
Gâche de fermeture en acier - Courte

Kod Code Code	A	B	C	D	
KK 002	100	82	25	12	400





Aksesuarlar

Vasistas Makas 22 cm

Transom Scissors 22 cm

Compas a Soufflet 22 cm


Kod Code Code	A	B	C	D	E	
BA 801	220	108	51	16,20	16,30	300




Vasistas Makas 13 cm

Transom Scissors 13 cm

Compas a Soufflet 13 cm

Kod Code Code	A	B	C	D	E	
BA 802	130	108	51	16,20	16,30	300





Aksesuarlar

Plastik arpma

Plastical Transom Locked

Verrou du soufflet


Kod Code Code	
1043.B	600



Emniyet Kilidi

Security Locked

Verrou de securité

Kod Code Code	
EMN03	320





Sürme Aksesuarlar

Sürme Rulman - Çift Teker

Sliding Roller - Double

Roulette coulissante avec Double Roue


Kod Code Code	
SA028	200




Sürme Rulman - Tek Teker

Sliding Roller - Single

Roulette coulissante avec une seul Roue

Kod Code Code	
SA029	200





Alüminyum Kapı Kolları

Universal Rozetli Kapı Kolu

Universal Door Handle with Rosette

Poignée de porte Universal avec Rosette


Kod Code Code	
AA-259	40




Fab Rozetli Kapı Kolu

Fab Door Handle with Rosette

Poignée de porte Fab avec Rosette

Kod Code Code	
AA-256	40





Alüminyum Kapı Kolları

Elit Rozetli Kapı Kolu

Elit Door Handle with Rosette

Poignée de porte Elit avec Rosette


Kod Code Code	
AA-258-1	40




Axis Rozetli Kapı Kolu

Axis Door Handle with Rosette

Poignée de porte Axis avec Rosette

Kod Code Code	
AA-258	40




Alüminyum Kapı Menteşe

Euroline 2'li Menteşe

Euroline Hinge's Double

Euroline Charnière Double


Kod Code Code	
AA-186	160




Euroline 3'lü Menteşe

Euroline Hinge's Triple

Euroline Charnière Triple

Kod Code Code	
AA-188	100





Alüminyum Pencere Kolları

Eksenel Kol Çift Dilli

Aluminium Axial Window Handle

Poignée de fenetre en Aluminium


Kod Code Code	
AA-278	50




Sürme Tetik Kol

Sliding Window Handle

Poignée de fenêtre Coulissante

Kod Code Code	
AA-272	100



Not / Notes

MADE IN TURKEY





Büyükoğlu İnş. Malz. San. ve Dış Tic. Ltd. Şti.

Adres : Fatih Mah. Cumhuriyet Cad. Sohbet Sk.
No: 5 Kavacık - Beykoz / İstanbul - TÜRKİYE

Tel : +90 216 479 02 55

Fax : +90 216 479 06 55

E-mail : info@wboss.com.tr

Web : www.wboss.com.tr